PORTO I

VALENCIA I

PAVIA

CARRARA

PORTO III

VALENCIA II

SARA

SEVILLA

VALENCIA II-C

FERMO

VERONA

AdriaTec
Smart Home Systems

LD 001

L 004

L 005

L 007

L 014

L 015

L 002-C1

L 001-C2

L 006-C4

L 006-C5



P 016

P 011

P 017

P 019

P 020



P 021

P 022

P 023

P 025

P 026

P 027

AdriaTec
Smart Home Systems

P 001

P 005

P 012

P 007

P 014

P 015

P 002-C1

P 008-C5

L 006-C3

L 009-C4

M 001 | Patina Meşe *Patina Oak*

M 001 | Amerikan Kiraz *American Cherry*

M 001 | Bambu *Bamboo*

M 001 | Başak *Anther*

M 001 | Beyaz Meşe *White Oak*

M 001 | Burçak *Vetch*

M 001 | Buz Meşe *Ice Oak*

M 001 | İpek Zeytin *Olive*

M 001 | Teak *Teak*

M 001 | Yeni Meşe *New Oak*

M 002 | Ihlamur *Linden*

M 002 | Saten Ceviz *Satin Walnut*

AdriaTec
Smart Home Systems

M 001 | Tosya Ceviz *Tosya Walnut*

M 002 | Best Ceviz *Best Walnut*

M 003 | Best Antik *Best Antique*

M 003 | Başak *Anther*

M 004 | Bambu *Bamboo*

M 004 | İpek Zeytin *Olive*

M 003-C (C 01) | Bambu *Bamboo*

M 001-C (C 02) | İpek Zeytin *Olive*

M 011-C (C 04) | Yeni Meşe *New Oak*

M 011-C (C 05) | Saten Ceviz *Satin Walnut*

K 005 İnce Meşe

K 009 Teak

AdriaTec
Smart Home Systems

K 007 Ceviz

K 010 Sütlü Ceviz

K 008 Zeytin

K 004 Venge

C02 - Sütlü Ceviz

C04 - Teak

C05 - Meşe

# SOBNA KATALOG
# 6mm MDF VRATA

bywood 3G

tr o

porto6-1G

varna

valenc a6-3G

veska-2G

# SOBNA KATALOG
# 12mm MDF VRATA

porto12-3G

tr o

solid-3G

tina

doğa-2G

benf ca-3G

# SOBNA VRATA
# KLASIČNI MODELI

F001

F002

F003

F004

F006

F007

F008

F009

F010

F020

F021

F036

F035

F036

# Protivpožarna vrata

## Fire Rated Doors

Posjedujemo dvije vrste protivpožarnih vrata:
vrata koja su vatrootporna na **30 minuta**
vrata koja su vatrootporna na **60 minuta**

**Best Door** fire rated doors can be choosen with either 30 minutes fire resistance or with a higher resistance of 60

**Vrata za hotele i javne prostore**
**doors for hotels and public spaces**

Greater **Security** with **Style**

### 30 minuta minutes

Ekstrudirana vatrootporna iverica - debljine: 35mm
*Fire-rated Tubular Chipboard - Thickness : 35 mm*

Debljina krila: 47 mm
*Leaf Thickness: 47 mm*

Padajući prag
*Threshold Seal*

Četiri šarke od nehrđajućeg čelika
*Four Pieces Stainless Steel Hinges*

Brava sa karticom i ručka od nehrđajučeg čelika
*Card Operated Lock & Stainless Steel Handle*

Skriveni zatvarač vrata - Diplomat
*Concealed Door Closer*

Dihtunzi okvira: Akustični i dimni dihtunzi
*Frame Seals: Acoustic and Smoke Seal*

Ekspandirajući i vatrootproni dihtunzi
*Intumescent Fire Seal & Intumescent Fire Seal with a Pile*

Vatrootporne silikonske ploče
*Intumescent Sheet*

### 60 minuta minutes

Ekstrudirana vatrootporna iverica
- debljine: 38mm
*Fire-rated Tubular Chipboard - Thickness : 38 mm*

Debljina krila: 58mm
*Leaf Thickness: 58 mm*

Padajući prag
*Threshold Seal*

Četiri šarke od nehrđajućeg čelika
*Four Pieces Stainless Steel Hinges*

Brava s karticom i ručka od nehrđajućeg čelika
*Card Operated Lock & Stainless Steel Handle*

Skriveni zatvarač vrata
*Concealed Door Closer*

Dihtunzi okvira: Akustič ni i dimni dihtunzi
*Frame Seals: Acoustic and Smoke Seal*

Ekspandirajući vatrootproni dihtunzi
*Intumescent Fire Seal & Intumescent Fire Seal with a Pile*

Vatrootporne silikonske ploče
*Intumescent Sheet*